



Beal Parkway

Corridor Improvements

-UPDATE-

City of Midland, Texas – February 9, 2016

Introductions

- Sara Bustilloz
 - Public Information Officer
- J.Ross Lacy
 - City Councilman District 4
- Jose Ortiz, P.E.
 - Director of Engineering Services
- Michael Pacelli, P.E.
 - City Traffic Engineer
- Matt Carr, P.E.
 - City Engineer



Agenda


- Summary of Previous Meeting
 - Need and Purpose
 - Project History
 - Community Input
- Update of Progress
 - Engineering Considerations
 - Project Schedule
 - Additional Proposed Traffic Improvements






Project Purpose


- Complete Beal Parkway between Illinois Ave and Highway 80.
- Reduce neighborhood traffic.
- Extend existing trail system south to Beal Park, making a continuous 3 miles of trails between Beal Park and Lancaster Park.




Corridor Design



Thomason Dr. – Illinois Ave. – Beal Pkwy. Intersection Options





Option A: Standard Intersection




Pros

- Low cost to retrofit intersection.
- Minimal disruption to existing traffic

Cons

- Thomason Drive traffic will not stop.
- Pedestrian Routes connected by a Pedestrian Crossing with Advance Warning Lights
- Congestion due to Beal Parkway / Illinois Avenue Traffic attempting left turns or going straight across Thomason
- Traffic through intersection on Thomason moving at 35-40 mph

Option B: Roundabout Intersection



Pros

- Safer pedestrian crossings due to raised medians
- Equal priority to all roads Traffic on Illinois and Beal will not back up waiting for Thomason.
- Greater traffic capacity
- Lower speeds through intersection 25 mph design speed
- Lowers incidence of severe crashes

Cons

- Driver unfamiliarity with using this type of intersection
- Will require rebuilding the entire intersection, in multiple phases.
- Additional Right of Way Required.

Option C: Standard 4-Way Stop Intersection



Pros

NEW (Interim)

- Low cost to retrofit intersection
- Improves Safety for Traffic Entering and Leaving Side Street (Beal Parkway and Illinois Avenue).
- Improves Safety of Crosswalk.
- Slows Traffic at Illinois / Thomason Intersection.

Cons

- Added delays along Thomason Drive.
- May Create Congestion Along Thomason between LP 250 and Illinois due to the Proposed Stop Condition at Thomason.

Option Comparison

Option A: Standard Intersection Option B: Roundabout Intersection Option C: 4-Way Stop Intersection



Meets Purpose & Need					
Operations					
Initial Cost					
Long Term Cost					
Accommodate Pedestrians					
Traffic "Queueing"					
Operating Speeds					
Safety					
Crash Severity					
Pedestrian Refuge					
Overall					
ROW/FUNDING AVAILABLE?					

Project Timeline – Option B

Public Meeting	October 14, 2014
Receive Comments	October 21, 2014
Development of Project	October 2014 – Spring 201
Plans Complete	Summer 2015

Seeking Funding

Public Update Meeting February 9, 2016

Seeking Funding / ROW

Project Timeline – Options C

Public Meeting	October 14, 2014		
Receive Comments	October 21, 2014		
Development of Project	October 2014 – Spring 2015		
Plans Complete	Summer 2015		
Seeking Funding			
Public Update Meeting	February 9, 2016		
Possible Start of Construction (Pending Council Approval)	Summer 2016		

8' WIDE TRAIL

THOMASON

What is the Best Way Forward?

Bid Beal Parkway (Option C – Interim Intersection with 4-Way Stop) with Available Funds.

Factors Considered Relating to Options A, B, or C:


- Funding
- Right of Way
- Timing of Adjacent Development
- Council Approval

Additional Traffic Improvements "Road Diets"


Re-stripe from 4 lanes to 3 lanes


- Anetta Drive
 - Loop 250 to Midland Drive
- Thomason Drive
 - Loop 250 to Midland Drive
- Illinois Avenue
 - Thomason Drive to Midland Drive

To be done <u>only</u> with scheduled maintenance paving projects.



Road Diet Example






PROPOSED LANES


Road Diet Benefits

- Reduces crashes 19-47% nationally
- Reduces rear end crash risk
 - Provides separate left-turn lane
- Reduce right angle crash risk
 - Side street traffic crosses fewer lanes
- Reduces speed differential

- Designates specific areas for parking
- Provides on-street space for bicycles



Daily Traffic Volumes







QUESTION AND ANSWER



Contacts:

Jose Ortiz, P.E. – Director of Engineering Services

Mike Pacelli, P.E. – City Traffic Engineer

Matt Carr, P.E. - City Engineer

Engineering Services

300 N. Loraine, 5th Floor

Midland, Texas 7970 I

Telephone: 685-7286